

Description

The JSL-I7 is a high-performance 7-inch indoor video intercom terminal designed for modern residential and commercial buildings. It integrates video talk-back, remote unlocking, emergency call, and multiple alarm zone functions, providing users with convenient, safe, and intelligent home communication and security management. The unit supports wall-mounted installation and features a stylish ABS+PMMA housing with a slim profile for aesthetic integration into any interior.



Main Features

- Supports video talk-back with outdoor stations
- Remote door unlocking capability
- Supports 8 to 4 alarm zones
- Emergency call to management center at any time
- Cancel garrison and arming with password/code
- Set garrison and arming via room station using code
- Receive and delete information from guard center
- Optional image capture and storage
- Information search function
- 7-inch touch digital screen with color display
- Adjustable image brightness, volume, and color
- Wall-mounted design (mounting plate: 60×60 mm)
- Preset SD interface for future storage expansion

Specifications

Display	7-inch TFT LCD color screen (touch digital)	Interface	SD card slot (optional)
Resolution	CCIR 350 TV lines (horizontal)	Material	ABS + PMMA housing
Scan Frequency	CCIR H: 15,625 ± 400 Hz / V: 47 ± 3 Hz	Power Supply	DC 17V - 20V
Video Standard	CCIR	Quiescent Current	< 20 mA
Installation	Wall-mounted	Emergency Call	Direct call to management center
Image Adjustment	Brightness, color, and volume adjustable	Work Temperature	0°C - +45°C
Video Functions	Video talk-back, monitoring outdoor station	Working Humidity	45%-95%
Unlocking	Remote unlock via intercom system	Dimensions	224 mm (W) × 130 mm (L) × 23 mm (D)
Alarm Zones	8 to 4 zones configurable	Color	White
Emergency Call	Direct call to management center	Weight	0.65 kg

Appearance and Interfaces



No.	Description
1	Display
2	Keypad
3	Speaker

Dimension



Accessory

JSL-I7 Bracket



JSL-I7 Accessory Bag

